

# Water Pumping Solutions



**HOT  
ITEM!**



**In Stock!! Rent or Buy!**



- 4", 6", 8", 12" Pumps ready to rent or buy
- Air Compressor Dri-Prime
- Vacuum Prime (for well points)
- Sewage bypass applications
- Cell phone monitoring option
- Flows up to 5,990 GPM
- Available with auto-start control and safety shutdown
- Bigger sizes available for rent. Call for other sizes and options

**Towable Generators  
In Stock!! Rent or Buy! Call to Order!**

Generators will run 24 - 48 hours to power your submersible pumps or other equipment.



**Hoses & Fittings**

- 2", 3", 4", 6", 8" DIAMETER
- LAYFLAT DISCHARGE 50' OR OTHER SIZES
- HARD SUCTION 10', 20', 25' OR OTHER SIZES
- BAUER FITTINGS
- CAMLOCK FITTINGS



Pairs with LB-480, LB-800, LB-1500, or NK2-15



- 6000W or 8000W
- Single Phase
- Manual or Hydraulic Mast options
- (1) 20A - 120V Outlets
- (1) 30A - 240V Outlets
- Extended overnight run times
- Options: With LED or Halide Lights

- 8000W
- (2) 20A - 120V Outlets
- (1) 30A - 240V Outlets
- 56 gallon fuel tank
- Includes lifting bale option
- No Lights

- 3 Phase
- 25 kVA, 45 kVA, 65 kVA
- Pairs with KTZ 3 phase pumps
- Extended overnight run times
- Includes Smart Load Technology which adds 30-40% load to avoid wet stacking

# Submersible Options (In Stock!!)



### LB-480 2/3 HP -- 2" DIA

- 32' CORD
- FITS IN 8" PIPE
- 110 VOLT
- AUTOMATIC FLOAT AVAILABLE
- 62 MAX GPM
- RUNS WITH 3000W GENERATOR OR BIGGER
- PAIR WITH LIGHT TOWERS FOR UNLIMITED OVERNIGHT OR WEEKEND RUN TIMES



### LB-1500 2 HP -- 3" DIA

- 50' CORD
- FITS IN 8" PIPE
- 110V OR 220V OPTIONS
- 110 MAX GPM
- SINGLE PHASE
- PAIR WITH LIGHT TOWERS FOR UNLIMITED OVERNIGHT OR WEEKEND RUN TIMES



### KTZ

- 3 PHASE
- 50'-100' CORD
- 4", 6" DIAMETER
- 460 VOLT
- 5 HP, 7.5 HP, 10 HP IN STOCK
- PAIRS WITH 25, 45, 65 KVA GENERATORS
- CALL FOR OTHER SIZES & OPTIONS



### C SERIES

- SUBMERSIBLE SEWAGE CUTTER PUMPS
- SINGLE AND 3 PHASE OPTIONS AVAILABLE
- 2" OR 3" OPTIONS (IN STOCK)
- 2" (1HP) & 3" (2HP) OPTIONS
- FITS IN 27" OPENING (MANHOLE)
- 1HP UP TO 30HP OPTIONS
- SOLIDS HANDLING NON-CLOG

- S BEND OPTIONAL



**ONE CALL**  
**ONE SOLUTION**



### LB-800 1 HP -- 2" DIA

- CUSTOMER FAVORITE
- 50' CORD
- FITS IN 8" PIPE
- 110 VOLT
- 82 MAX GPM
- RUNS WITH 3000W GENERATOR OR BIGGER
- PAIR WITH LIGHT TOWERS FOR UNLIMITED OVERNIGHT OR WEEKEND RUN TIMES



### NK2-15 2 HP -- 3" DIA

- 32' CORD
- 110 or 220 VOLT OPTIONS
- 110 MAX GPM
- CALL FOR OTHER SIZES & OPTIONS
- 7200W RECOMMENDED GENERATOR CAPACITY
- PAIR WITH LIGHT TOWERS FOR UNLIMITED OVERNIGHT OR WEEKEND RUN TIMES



### HS SERIES

- SAND & TRASH HANDLING
- 2" OR 3" DIAMETER
- 110V OR 220V OPTIONS
- HIGH FLOW OPTIONS AVAIL.
- CALL FOR OTHER SIZES & OPTIONS



### TRASH PUMPS

- HONDA
- GAS POWERED
- 2", 3", 4" DIAMETER

### Portable Generators In Stock!! Rent or Buy!

- 3000W, 4500W, 6000W, 7000W
- WHEEL KITS
- HONDA ENGINES
- OTHER SIZES AVAILABLE
- PAIRS WITH LB-480, LB-800, OR INQUIRE ABOUT OTHER UNITS



# We also offer...

## Flex Tool #1 Seller Call for Demo

- Self-Priming
- Flexible Shaft Driven Pump
- Lightweight design enables single-person operation
- 10" Diameter pump head with 19ft shaft  
Optional: 10 ft extension
- Honda GX160 or GX200 Commercial Grade Engine
- Heavy-duty cast iron/Aluminum design
- High performance, up to approx. 300-400 GPM with approx. 30ft of head or more



## Slotted Well Screens

### PVC

12" x 20 ft

16" x 20 ft

### HDPE Slotted

12" x 40 ft

16" x 40 ft

18" x 40 ft

## Well Point System

We specialize in dewatering well point systems for construction sites, designed to manage groundwater and maintain dry conditions effectively. By controlling water levels and preventing soil instability you can ensure your jobsite goes smoothly. Rely on our expertise to provide a reliable and efficient dewatering solution that keeps your project on track and minimizes disruptions.



**CS-SHORING.COM**

**Des Moines, IA Office**  
515-265-RENT (7368)

**Kansas City, MO Office**  
816-731-8087

**855.859.4212**

**Omaha, NE Office**  
402-880-0712

**Tulsa, OK Office**  
918-500-3696

**St. Louis, MO Office**  
314-978-6764